	Application No.	Applicant(s)	_
Alada PAU 1994	10/501,945	LILLY, BRENDON	
Notice of Allowability	Examiner	Art Unit	
	Elias Desta	2857	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the or other appropriate communicity. This application is sub-	nis application. If not included cation will be mailed in due co	ourse. THIS
1. 🛛 This communication is responsive to after final amendment	t filed on 4/27/2007.		
2. X The allowed claim(s) is/are <u>1-5,7-20 and 22-25</u> .			
3.   Acknowledgment is made of a claim for foreign priority unas All b) □ Some* c) □ None of the:  1. □ Certified copies of the priority documents have 2. □ Certified copies of the priority documents have 3. ☒ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)).  * Certified copies not received: □	e been received. e been received in Application cuments have been received in	No n this national stage applicatio	•
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal patent application (PTO-152) which give			TICE OF
<ul> <li>5.  CORRECTED DRAWINGS (as "replacement sheets") must (a)  including changes required by the Notice of Draftspers</li> <li>1)  hereto or 2)  to Paper No./Mail Date</li> <li>(b)  including changes required by the attached Examiner Paper No./Mail Date</li> </ul>	son's Patent Drawing Review (		
Identifying indicla such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the sheet.	.84(c)) should be written on the	drawings in the front (not the b	ack) of
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATEF FOR THE DEPOSIT OF BIOL	RIAL must be submitted. No OGICAL MATERIAL.	ote the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Info	rmal Patent Application	
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Sun		
3. Information Disclosure Statements (PTO/SB/08),		ail Date mendment/Comment	
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's So	atement of Reasons for Allow	rance
		·	

Application/Control Number: 10/501,945

Art Unit: 2857

## Detailed Action

## Response to Amendment

1. Applicant's arguments, see amendment, filed April 27, 2007, with respect to claims 1-5 and 7-15, have been fully considered and accepted. The rejection of claims 1-5 and 7-15 has been withdrawn. The Examiner affirms the allowance of claims 16-20 and 22-25 and acknowledges the cancellation of claims 6 and 21. No outstanding rejection or objection remains.

## Allowance

2. <u>Claims 1-5, 7-20 and 22-25</u> are allowed. The following is an examiner's statement of reasons for allowance:

In reference to claims 1 and 16: Remboski et al. (US. PAP 2002/0116156, hereon Remboski) teaches a system for monitoring the performance of at least one machine operator comprising: a measuring device for measuring at least one machine parameter during the operation of the machine by the operator, the machine operator related to the operation of the machine by the operator (see Remboski, paragraph 62); a means for measuring at least one machine parameter (see Remboski, Fig. 4, steps 402-408); and a module for calculating at least one performance indicator for the machine operator from the parameter (see Remboski, Fig. 4, steps 410). This is the current state of the art.

In reference to claims 1 and 16: The primary reason for the allowance of claims 1-5 and 7-20 and 22-25 is the inclusion of the limitation "segmenting at least one machine parameter that is Art Unit: 2857

a dependent machine parameter into segments where at least one dependent machine parameter exists, the range of each segment constituting resolution"; "generating at least one performance indicator distribution from measurements of the at least one machine parameter, said at least one performance indicator distribution comprising a range of values for a performance indicator derived from said at least one machine parameter"; and "calculating at least one performance indicator for at least one machine operator from the at least one performance indicator distribution". It is this limitation, as recited in combination with the dependent claims which is found in each of the claims but is not found, taught or suggested in the prior art of record, that makes these claims allowable over the prior art.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elias Desta whose telephone number is (571)-272-2214. The examiner can normally be reached on M-Th (8:30-7:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John E. Barlow can be reached on (571)-272-2269. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/501,945

Art Unit: 2857

5. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

- May 4, 2007

- E.D

John Barlow
Supervisory Patent Examiner

Page 4